

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Public Services – Irrigation & CAD Department – Allegations of lack of integrity, devotion to duty and dereliction of duties leading to misconduct in violation of Rule (3) of Andhra Pradesh Civil Service (Conduct) Rules, 1964 against Sri V. Venugopala Rao, I/c Executive Engineer (Retd) Office of the Godavari Head Works Division, Dowlaiswaram – Departmental action – Articles of Charges – Issued.

IRRIGATION AND C.A.D. (VIGILANCE-II/A2) DEPARTMENT

G.O.RT.No. 594

Dated: 24.09.2014

Read:-

G.O.Ms.No.52 Irrigation &CAD (Vigilance-1) Department, dated 24.09.2014

ORDER:

It is proposed to hold an inquiry against Sri V. Venugopala Rao, I/c Executive Engineer (Retired) earlier worked in the office of the Godavari Head Works Division, Dowlaiswaram in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set-out in the enclosed statement of articles of charges (Annexure-1). A statement of imputations of misconduct or misbehavior in support of each article of charge is enclosed (Annexure-II). A list of witnesses by whom and a list of documents by which, the articles of charge are proposed to be sustained are also enclosed (Annexure-III and IV).

3. Sri V. Venugopala Rao, I/c Executive Engineer (Retd) is directed to submit a written statement of his defence within 10 days of the receipt of this order.

4. Sri V. Venugopala Rao, I/c Executive Engineer (Retd) is informed that an inquiry will be held only in respect of those articles of charges which are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri V. Venugopala Rao, I/c Executive Engineer (Retd) is further informed that if he does not submit his written statement of defence on or before the date specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CC & A) Rules, 1991 or the orders issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Attention of Sri V. Venugopala Rao, I/c Executive Engineer (Retd), is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri V. Venugopala Rao, I/c Executive Engineer (Retd) is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the Andhra Pradesh Civil Service (Conduct) Rules, 1964.

(PTO)

:2:

7. The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad is requested to communicate the date of acknowledgement of the Accused Officer, immediately.

8. The receipt of the Government Order may please be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**ADITYA NATH DAS
PRINCIPAL SECRETARY TO GOVERNMENT (P)**

To

Sri V. Venugopala Rao, I/c Executive Engineer (Retd), earlier worked in the office of the Godavari Head Works Division, Dowlaiswaram, through the Engineer – in – Chief (AW), Irrigation & CAD Department, Hyderabad

The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad

Copy to:

The Director General, Anti Corruption Bureau, Hyderabad

The Secretary to Vigilance Commission

SF/SC

//FORWARDED: BY ORDER//

SECTION OFFICER